

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6535	709/223,224.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:43
S2	162	S1 and video adj conferenc\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 13:51
S3	7	S1 and (management adj (engine or module)) and (policy adj database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:34
S4	63	S2 and manag\$3 with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:46
S5	135	S1 and identify\$3 with (network adj device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:47
S6	29	S5 and manage with (network adj device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 14:59
S7	5	manager and device adj identification adj module	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:03
S8	56	management adj module and policy adj (module or database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:04

S9	8	S8 and S1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:15
S10	2	determin\$3 adj2 (function with (network adj device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:16
S11	463	determin\$3 adj2 (function adj3 device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:16
S12	6	S11 and S1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 15:17
S13	32	determin\$3 with (type\$1 adj2 traffic) and (audio with video with data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/23 17:17
S14	0	identification adj module and (determin\$3 adj2 ((function\$1 or role\$1 or purpose\$1) with (network adj device\$1)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:06
S15	2	(determin\$3 adj2 ((function\$1 or role\$1 or purpose\$1) with (network adj device\$1)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:07
S16	1018	(determin\$3 with ((function\$1 or role\$1 or purpose\$1) adj2 (network adj device\$1 or elements)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:08

S17	214225	(determin\$3 with ((function\$1 or role\$1 or purpose\$1) adj2 (network adj device\$1) or elements))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:08
S18	21	determin\$3 with ((function\$1 or role\$1 or purpose\$1) adj2 (network adj device\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:33
S19	1	"1718" adj type adj port	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:51
S20	10	"1718" adj port	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:36
S21	1349	UDP adj port	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:36
S22	25	S21 and "1718"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:44
S23	261	identify\$3 with (network adj device\$1) and manag\$3 with (network adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:52
S24	228	S23 and management	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:53

S25	1	S24 and bandwidth with negotiat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:53
S26	65	S24 and determin\$3 with application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:33
S27	4	determin\$3 adj2 (function\$4 adj2 (network adj device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:35
S28	335	determin\$3 adj2 (function\$4 adj2 device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:39
S29	1	S28 and manag\$3 with network adj device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:40
S30	1	S28 and manag\$3 with (network adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:40
S31	0	identify\$3 adj2 (function\$1 with (network adj device\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 13:41
S32	6576	709/223,224.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:34

S33	256	S32 and (management adj (engine or module))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:47
S34	4	S33 and determin\$3 adj2 (network adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:35
S35	62	determin\$3 with (type adj2 (network adj (device or element)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 15:08
S36	0	determin\$3 with ((type adj2 traffic) adj2 (network adj (device or element)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 15:08
S37	2	"6249814".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:24
S38	29	identify\$3 adj2 (software with (device or element))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:34
S39	0	identify\$3 adj2 application\$1 with (plural\$3 adj2 (network adj device\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:36
S40	3457	identify\$3 adj2 application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:53

S41	73	S40 and class\$5 adj2 device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:37
S42	3	(identify\$3 adj2 application\$1) with (network adj element)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:56
S43	423	(identify\$3 adj2 application\$1) and identify\$3 adj2 (device or element)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:56
S44	0	S43 and classif\$3 adj2 device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:57
S45	7	S43 and network adj manager	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 12:03
S46	36	identify\$3 adj2 (software or application\$1) same identify\$3 adj2 device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 12:06
S47	2	identify\$3 with classif\$4 with function with network with (element or device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 18:43
S48	65	classif\$4 with function with network with (element or device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 18:54

S49	0	S48 same transmission same traffic	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 18:44
S50	89	(classify\$3 or identify\$3) with type with traffic with (device or element)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:44
S51	5	classify\$3 near4 function near4 network near4 (element or device\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:48
S52	0	classify\$3 with function\$3 with network with (device or element) with transmission with characteristic\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:49
S53	2	classify\$3 with function\$3 with network with (device or element) with transmission	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:50
S54	2335	monitor\$3 with network with activit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:50
S55	1	S54 and manager with identify\$3 with function with network with (element or device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:51
S56	1	S54 and (manager with identify\$3 with function with network with (element or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:52

S57	1	S54 with identify\$3 with function with network with (element or device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:52
S58	11	S54 and (identify\$3 with function with network with (element or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:55
S59	1	S54 and (classify\$3 with function with network with (element or device))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 11:59
S60	60	determin\$3 with network with (element or device\$1) with type with (traffic or transmission) with (audio or video or data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:17
S61	2	determin\$3 with network with (element or device\$1) with type with (traffic or transmission) with (audio or video or data) with stream	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:18
S62	90178	(determin\$3 or identify\$3) with software or application\$1 with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:19
S63	1922	(determin\$3 or identify\$3) with (software or application\$1) with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:20
S64	249	(determin\$3 or identify\$3) near4 (software or application\$1) near4 network near4 device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:27

S65	0	S64 and classify\$3 near4 device near4 application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:21
S66	2	S64 and (classify\$3 or group or categorize) near4 device near4 application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:22
S67	0	S65 and (classify\$3 or group or categorize) near4 device near4 application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:22
S68	25	S63 and (classify\$3 or group or categorize) near4 device near4 application\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:22
S69	55	S64 and (classify\$3 or group\$3 or categoriz\$3) with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:39
S70	7971	(classify\$3 or group\$3 or categoriz\$3) with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:39
S71	426	(classify\$3) with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:39
S72	1	(classify\$3) near5 network near5 device\$1 near5 function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:40

S73	146	(classify\$3) near5 network near5 device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:40
-----	-----	---	--	----	----	------------------